



## *Installation manual*



## *Audi A3 7inch Android*

*Are you ready to install our unit?*

*Let's go >>>*

# 4 steps to install

## STEP 01

Check

- 1) Do the screen is broken ?
- 2) Do the accessories have missing ?

## STEP 02

Test your unit before a full installation.

(Connect the power cable to your car)

## STEP 03

Do the full installation.

## STEP 04

Test the head unit functions.

### Accessories



1. External microphone \*1
2. GPS antenna \*1
3. Wifi antenna \*1
4. Disassembly Key \*1
5. Canbus \*1
6. Antenna adapter \*1
7. 15A fuse \*1
8. 3M adhesive \*1
9. Disassembly tools \*4
10. Power cable \*2
11. Radio Antenna connector \*1
12. USB adapter cable \*1
13. USB adapter cable \*1
14. USB adapter cable \*1

# STEP 02 Test your unit before a full installation.

(Connect the power cable to your car)

1. Double check the size and shape of the center console panel.



2. Prepare the disassembly tools. (No.9)

3. Insert the DT into the small holes of each corners on the factory unit.



4

5. Then you can totally pull out the factory unit with the DT.



6. Unplug all cables from the factory unit.



7. Remove the surrounding cover with disassembly tools, release more space for connecting the cables.




Now you can take out the power cable to connect the head unit and then try to turn it on. If this part is no problem, you can do the remain steps.

5





# STEP 03 Do the full installation.

8. Connect those wires provided in the package like (1) Power cable with canbus, (2) USB cable, (3) Radio antenna adapter cable, (4) GPS antenna, (5) Wi-fi antenna and (6) External microphone as shown.



## Wiring diagram




If your car has built-in the factory amplifier, you need to connect the red and white cable on the power cable to the red and white plug of head unit.

9. Plug the head unit into the center console, then place the GPS antenna and microphone as shown. The wires are hidden in the side of pillar trim and led to the head unit.



# STEP 04 Test the head unit functions.

(FM, SD, USB, Bluetooth, reversing, handbrake, headlight, steering wheel control and etc)




## Wire connection for the amplifier, the subwoofer and the headset monitors

Case 1: The subwoofer connects to the head unit




Case 2: The 2/4 speakers with an amplifier are connected to the head unit.





Case 3: The 2/4 speakers with an amplifier and the subwoofer with an amplifier are separately connected to the head unit.



## Optional : Install a rear camera

Our main unit only syncs the rear camera but not the front camera.



## Cable connection




The ASIN of this rear camera has placed in the listing.

# System Initial setup

## 1 Set radio location

The default radio country in the unit is Europe, if you are from other country, you need to access the "factory mode (PW: 126) > Radio" to adjust the country.




## 2 Set RDS

The Radio has RDS function but this function is only for Europe, if the clients from other countries use it, it will affect the radio reception, so please close it.



## 3 Set the unit language

Please go to setting > Languages & input, then you can add the desirable language you need.



## About after sales service

Q: Do my head unit has one year maintenance?

A: Definitely yes, you will have our commitment after you purchase.

(The maintenance period will base on the date you make the order)